



# Bipolar II


Hip System



# Devotion

*to Orthopedics*


## Bipolar II Features



Cap Sizes Available from 41 to 56 mm in 1 mm Size Increments


Highly Polish Surface to Reduce the Wear of Acetabulum\*

One - Piece Assembly



Simple Locking Ring Mechanism Enhances Surgical Efficiency, while Maintaining Strength

Minimum PE Thickness of 5 mm



Anti-rotation Design Minimizes Micromotion Between the Cap and the PE Liner

Outer Beveled Lip Design Allows for Easy Reduction

\*Metal surface roughness of  $Ra \leq 0.02 \mu m$  to fulfill the ISO Standard of  $Ra \leq 0.5 \mu m$

# Surgical Techniques

## Sizing the Acetabulum




## Trial Assembly and Reduction




• 26 mm Head for 41~42 mm Cap • 28 mm Head for 43~56 mm Cap

## Trial Disassembly



## Implant Assembly



## Implant Disassembly




# Bipolar II Instruments

## Femoral Head Trial



REF	Description
1201 - 2126 - RA	26 mm +0 mm
1201 - 2326 - RA	26 mm +3 mm
1201 - 2526 - RA	26 mm +6 mm
1201 - 2726 - RA	26 mm +9 mm
1201 - 2028 - RA	28 mm -3 mm
1201 - 2128 - RA	28 mm +0 mm
1201 - 2428 - RA	28 mm +5 mm
1201 - 2828 - RA	28 mm +10 mm
U2 Hip Stem	
1201 - 2126 - RB	26 mm +0 mm
1201 - 2326 - RB	26 mm +3 mm
1201 - 2526 - RB	26 mm +6 mm
1201 - 2726 - RB	26 mm +9 mm
1201 - 2028 - RB	28 mm -3 mm
1201 - 2128 - RB	28 mm +0 mm
1201 - 2428 - RB	28 mm +5 mm
1201 - 2828 - RB	28 mm +10 mm
UTF Stem	

## U2 Bipolar Trial



REF	Description
1503 - 4041	41 mm
1503 - 4042	42 mm
26 mm	
1503 - 4143	43 mm
1503 - 4144	44 mm
1503 - 4145	45 mm
1503 - 4146	46 mm
1503 - 4147	47 mm
1503 - 4148	48 mm
1503 - 4149	49 mm
1503 - 4150	50 mm
1503 - 4151	51 mm
1503 - 4152	52 mm
1503 - 4153	53 mm
1503 - 4154	54 mm
1503 - 4155	55 mm
1503 - 4156	56 mm
28 mm	

## Head Remover



REF	Description
9203 - 5026	26 mm
9203 - 5028	28 mm

# Bipolar II Instruments

---

## Universal Handle



### REF

9204 - 1002 - RB

9204 - 1002 - RC

### Description

Universal Handle, Short

Universal Handle, Long

## Bipolar Trial Handle



### REF

9204 - 1004

### Description

Bipolar Trial Handle

## Femoral Head Impactor




### REF

9204 - 1226 - RA

### Description

26 mm

## Tool Box



### REF

9204 - 8041

### Description

Bipolar II Case

# Bipolar II Implant



## Bipolar Cap

Cat. No	Diameter	Head Size
1503 - 3041	41 mm	26 mm
1503 - 3042	42 mm	
1503 - 3143	43 mm	28 mm
1503 - 3144	44 mm	
1503 - 3145	45 mm	
1503 - 3146	46 mm	
1503 - 3147	47 mm	
1503 - 3148	48 mm	
1503 - 3149	49 mm	
1503 - 3150	50 mm	
1503 - 3151	51 mm	
1503 - 3152	52 mm	
1503 - 3153	53 mm	
1503 - 3154	54 mm	
1503 - 3155	55 mm	
1503 - 3156	56 mm	



## Metal Head

Cat. No	Size	
1201 - 1126	26 mm	+0 mm
1201 - 1326	26 mm	+3 mm
1201 - 1526	26 mm	+6 mm
1201 - 1726	26 mm	+9 mm
1201 - 1028	28 mm	-3 mm
1201 - 1128	28 mm	+0 mm
1201 - 1428	28 mm	+5 mm
1201 - 1828	28 mm	+10 mm



### Office

#### ■ Taiwan

12F, No. 80, Sec. 1, Chenggong Road, Yonghe Dist., New Taipei City 23452, Taiwan  
Tel: +886 2 2929-4567 Fax: +886 2 2922-4567

#### ■ EU Representative

mdi Europa GmbH  
Langenhagener Strasse 71, 30855 Langenhagen, Germany  
Tel: +49-511-3908 9530 Fax: +49-511-3908 9539

### Plant

#### ■ Taiwan

No. 57, Park Ave. 2, Science Park, Hsinchu City 30075, Taiwan  
Tel: + 886 3 577-3351 Fax: + 886 3 577-7156

All Rights Reserved, © 2012 United Orthopedic Corp.  
www.uoc.com.tw