



seating

ergo | anesthesia | chrome | stainless
steel | five series | surgeon



ergo task chair

(only available in  royal upholstery)

weight capacity rating of 300 lbs.

Pedigo's ergonomically designed task chairs feature pneumatic height adjustment, dual wheel casters, 5-star base, integrated lumbar support, and independent backrest/seat pan height tilt controls. PVC and latex free.



T-580

- 18" x 18½" contoured cushioned seat
- Pneumatic height adjustment of 17½" to 23¼"
- Easy rolling 2" dual wheel casters
- 25" diameter footprint
- Adjustable backrest
- Adjustable arm rests


T-581

- 18" x 18½" contoured cushioned seat
- Pneumatic height adjustment of 17½" to 23¼"
- Easy rolling 2" dual wheel casters
- 25" diameter footprint
- Adjustable backrest

T-582

- 18" x 18½" contoured cushioned seat
- Pneumatic height adjustment of 17½" to 23¼"
- Easy rolling 2" dual wheel casters
- 23" diameter footprint
- Adjustable backrest

specs



ergo task anesthesia chair

(only available in  royal upholstery)

weight capacity rating of 300 lbs.

Pedigo proudly introduces our NEW ergonomically designed anesthesia chair the T-583. This chair features pneumatic height adjustment, dual wheel casters, 5-star base, integrated lumbar support and independent backrest/seat pan height tilt controls. PVC and latex free.

T-583

- 18" x 18½" contoured cushioned seat
- Pneumatic height adjustment of 23½" to 33½"
- Easy rolling 2" dual wheel casters
- Adjustable arm rests
- 25" diameter footprint
- Adjustable backrest

T-584

- 18" x 18½" contoured cushioned seat
- Pneumatic height adjustment of 23½" to 33½"
- Easy rolling 2" dual wheel casters
- 23" diameter footprint
- Adjustable backrest



specs



chrome series

(available in ● classic or ● royal upholstery)

weight capacity rating of 300 lbs.

dual wheel locking casters option

- 66 Locking Casters - (activated upon standing)
- 66-A Locking Casters - (activated upon sitting)
- 01-B Adaptor (required for both 66 & 66-A)



● **P-36** ● **T-36**

- 14" round cushioned seat
- 2" double ball bearing casters
- Height adjustment (screw shaft) of 17⁷/₈" to 26¹/₄"



● **P-38** ● **T-38**

- 14" round cushioned seat
- Rubber floor tips
- Height adjustment (screw shaft) of 22" to 34¹/₂"



● **P-39** ● **T-39**

- 14" round cushioned seat
- Rubber floor tips
- Upholstered spring back
- Height adjustment (screw shaft) of 22³/₄" to 34¹/₂"

● **P-38-W/C** ● **T-38-W/C**

- 2" double ball bearing casters
- Height adjustment (screw shaft) of 24¹/₄" to 36³/₄"

● **P-39-W/C** ● **T-39-W/C**

- 2" double ball bearing swivel casters
- Height adjustment (screw shaft) of 25" to 36³/₄"



● **P-51** ● **T-51**

- 14" x 15" square cushioned seat
- Upholstered spring back
- 2" double ball bearing casters
- Height adjustment (screw shaft) of 18⁵/₈" to 26¹/₄"



● **P-51-R** ● **T-51-R**

- 14" round cushioned seat
- Upholstered spring back
- 2" double ball bearing casters
- Height adjustment (screw shaft) of 18⁵/₈" to 26¹/₄"



● **P-55** ● **T-55**

- Lab stool
- 14" x 15" square cushioned seat
- Upholstered spring back
- Plastic floor glide
- Height adjustment (screw shaft) of 21⁵/₈" to 33⁵/₈"

* locking casters option not available

stainless steel series

(available in ● classic or ● royal upholstery)

weight capacity rating of 300 lbs.

dual wheel locking casters option

- 66 Locking Casters - (activated upon standing)
- 66-A Locking Casters - (activated upon sitting)
- 01-B Adaptor (required for both 66 & 66-A)



P-1037-SS

- 14" round stainless steel contoured seat
- Rubber floor tips
- Height adjustment (screw shaft) of 20 $\frac{1}{8}$ " to 32 $\frac{3}{8}$ "

P-1037-W/C-SS

- 2" double ball bearing swivel casters
- Height adjustment (screw shaft) of 22 $\frac{1}{2}$ " to 34 $\frac{5}{8}$ "



● P-1038-SS ● T-1038-SS

- 14" round cushioned seat
- Rubber floor tips
- Height adjustment (screw shaft) of 22" to 34 $\frac{1}{2}$ "

● P-1038-W/C-SS

● T-1038-W/C-SS

- 2" double ball bearing swivel casters
- Height adjustment (screw shaft) of 24 $\frac{1}{4}$ " to 36 $\frac{3}{4}$ "



● P-1039-SS ● T-1039-SS

- 14" round cushioned seat
- Upholstered spring back
- Rubber floor tips
- Height adjustment (screw shaft) of 22 $\frac{3}{4}$ " to 34 $\frac{1}{2}$ "

● P-1039-W/C-SS

● T-1039-W/C-SS

- 2" double ball bearing swivel casters
- Height adjustment (screw shaft) of 25" to 36 $\frac{3}{4}$ "



● P-1040-SS ● T-1040-SS

- 14" x 15" cushioned square seat
- Upholstered spring back
- 3" double ball bearing swivel casters
- Height adjustment (screw shaft) of 26" to 37 $\frac{1}{2}$ "



● P-527-GS ● T-527-GS

- 14 $\frac{1}{2}$ " round fully padded seat
- 23 $\frac{1}{2}$ " diameter aluminum base
- 2" dual wheel casters
- Adjustable backrest
- Height adjustment (pneumatic) of 19 $\frac{1}{4}$ " to 24 $\frac{1}{2}$ "

foot-operated

(available in ● classic or ● royal upholstery)

weight capacity rating of 300 lbs.

locking casters option

- 66 Locking Casters - (activated upon standing)
- 66-A Locking Casters - (activated upon sitting)



● P-528-GS ● T-528-GS

- 14 $\frac{1}{2}$ " round fully padded seat
- 23 $\frac{1}{2}$ " diameter aluminum base
- 2" dual wheel casters
- Height adjustment (pneumatic) of 19 $\frac{1}{4}$ " to 24 $\frac{1}{2}$ "

five series

(available in ● classic or ● royal upholstery)

weight capacity rating of 300 lbs.

locking casters option

- 66 Locking Casters - (activated upon standing)
- 66-A Locking Casters - (activated upon sitting)



● P-521-GS ● T-521-GS

- 14½" round fully padded seat with back
- 23½" diameter aluminum base
- 2" dual wheel casters
- Height adjustment (pneumatic) of 19¼" to 23¾"
- Adjustable backrest



● P-526-GS ● T-526-GS

- 14½" round round fully padded seat
- 23½" diameter aluminum base
- 2" dual wheel casters
- Height adjustment (pneumatic) of 19¼" to 23¾"



Cattail

● P-536 ● T-536

- 14" round cushioned seat
- 21½" diameter chrome base
- Easy rolling 2½" casters
- Height adjustment (screw shaft) of 17¾" to 26⅛"



● P-536-GS ● T-536-GS

- 14" cushioned seat
- 21½" diameter chrome base
- Easy rolling 2½" casters
- Height adjustment (pneumatic) of 18" to 23¼"

* locking casters option not available * locking casters option not available



● P-551 ● T-551

- 16" x 17" cushioned seat
- 21½" diameter chrome base
- Adjustable back support
- Easy rolling 2½" casters
- Height adjustment (screw shaft) 20⅝" to 29"
- Adjustable backrest



● P-551-GS ● T-551-GS

- 16" x 17" cushioned seat
- 21½" diameter chrome base
- Adjustable back support
- Easy rolling 2½" casters
- Height adjustment (pneumatic) of 18½" to 24" height
- Adjustable backrest



● P-555-GS ● T-555-GS

- 16" x 17" cushioned seat
- 21½" diameter chrome base
- Adjustable back support
- Easy rolling 2½" casters
- Height adjustment (pneumatic) of 25⅝" to 33"
- Adjustable backrest

* locking casters option not available

* locking casters option not available

* locking casters option not available

hydraulic surgeon chair

(available in ● classic or ○ royal upholstery)

weight capacity rating of 300 lbs.

● ○ P-7000

Hydraulic Surgeon Chairs are ideal for surgery, anesthesiology, ENT and reconstructive procedures. Engineered and constructed using our STERIL-GARD philosophy. STERIL-GARD is the concept and process of manufacturing products to minimize or eliminate any areas where dirt, fluid and bacterial debris can become entrapped. Therefore all Pedigo products are easier to clean, longer lasting, and most importantly - *reduce the transmission of bacteria*.

- Specially contoured seat for added comfort
- Sensafoam body contouring seat and back
- Seat features backrest
- Height adjustable and articulating arm/wrist rests
- 21" diameter base with high grade 3" casters
- Chrome-plated 6-caster base
- Three locking casters
- Adjustable backrest
- Height adjustment (hydraulic) of 20¾" to 28¼" - single pedal, foot-operated



Locking Casters



P-6000



P-6001

● ○ P-6000

- 16" round fully padded
- Seat features backrest
- 21" diameter base
- Powder-coated 5-caster base
- High grade 3" casters
- Two locking casters
- Height adjustment (hydraulic) of 22¾" to 30¼" - single pedal, foot-operated

options P-6000



Procedure Rest
Part#: P-6000-PR



Articulating Arm Rests
Part#: P-6000-D

● ○ P-6000

with Procedure Rest

- Rotates a full 360 degrees
- Upholstered for comfort
- Special density foam provides comfort and support during long procedures
- 16" round fully padded
- Height adjustment of 24⅜" to 29½"

Part No. P-6000-PR and P-6000

* Seat tilt not available with procedure rest



● ○ P-526

with Procedure Rest

- Rotates a full 360 degrees
- Upholstered for comfort
- Special density foam provides comfort and support during long procedures
- 14½" round fully padded seat
- Height adjustment of 16¾" to 23¾"

Part No. P-526-PR and P-526-GS

Classic: Durable, vinyl based fabrics, Pedigo Classic upholstery is latex-free and California TB-117 approved.

Indicates: Pedigo Classic upholstery and unit testing:

- California TB-117.



Grey



Steel



Beige



Burgundy



Fairway



Lake Blue



Black



Royal Environment friendly, Pedigo Royal upholstery is latex-free, PVC-free, California TB-117 approved.

Indicates: Pedigo Royal upholstery and unit testing:

- California TB-117.
- California TB-117 and TB-133 approved.



Glacier



River Rock



Cattail



Basalt



Orchard Plum



Columbia Blue



Raven Black



Above color samples are representations of upholstery materials. Actual colors may vary slightly. Material samples available upon request.

Technical Bulletins The State of California developed a number of testing standards known as Technical Bulletins for the purpose of evaluating the flammability of furniture.

- **CAL TB-117** Flammability test for the filling or padding material of furniture. Tests the flame retardance of resilient filling materials used in upholstered furniture - including the fabric.



- **CAL TB-133** A full-scale fire test of the entire unit including the frame, foam and upholstery.




• American National Standard for Office Furnishings

This standard is intended to provide manufacturers, specifiers, and users with a common basis for evaluating the safety, durability, and structural adequacy of general-purpose office chairs. For example, load and impact testing.



• Business & Institutional Furniture Manufacturer's Assoc.

A not-for-profit organization that advocates, informs and develops standards for the North American office and institutional furniture industry.



Care Instructions

PreFixx® is engineered so that upholstery can be cleaned again and again without showing signs of wear. With easy cleanability, and proven stain and abrasion resistance, PreFixx protective finish can reduce maintenance costs and frequent re-upholstery.

Performance: Offers state-of-the-art resistance against staining, burnishing, abrasion, scuffing and blocking.

Durability: Creates a barrier that resists stains from penetrating to the surface of the vinyl for proven, long-lasting protection. With laboratory-tested stain resistance and improved wear properties, upholstery treated with PreFixx protective finish can retain a "like-new" appearance longer.

Easy Maintenance: Enables most common stains like dirt and smudges to wipe off easily. Many difficult stains like ballpoint ink also can be cleaned with active solvents, such as nail polish remover, without damaging the PreFixx protective finish (when recommended cleaning instructions are followed).

