



US Patent #D667323

Improve workflow with this top-of-the-line physician office scale. The built-in digital height rod eliminates the need to manually enter height for computing BMI. The 350° swivel head allows for line-of-sight viewing and patient privacy.

Advantages

- ✓ EMR Capable**
 Scale interfaces with a computer, EMR software or other electronic device via Health o meter® Professional Connectivity Solutions
- ✓ 350° Swivel Display**
 Eye-level rotating display can be read from almost any angle and allows for ease of use and patient privacy
- ✓ Built-in Digital Height Rod**
 The easy-to-use, state of the art digital height rod provides measurements from 23 5/8" - 88" / 60 cm - 222 cm
- ✓ Value-Added Features**
 Operating functions (LB/KG Conversion, LB/KG Lock Out, BMI, Zero, Tare, Hold/Release, Auto Zero, Auto Off) included at no additional cost
- ✓ Calculates Body Mass Index (BMI)**
 Scale functions include the ability to calculate the patient's BMI
- ✓ Patented Design**
 The 600KL-BT's patented design provides a user-friendly and intuitive interface for measuring patient weight, height and BMI with a convenient rotating display head



US Patent #D667323

Specifications

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Height Rod Resolution: 0.1" / 0.1 cm
- Platform Size (w x d x h):
14 1/4" x 14 1/4" x 2 5/8"
362 mm x 362 mm x 67 mm
- Digital Height Rod: 23 5/8" - 88" / 60 cm - 222 cm
- Connectivity: USB and built-in Bluetooth® wireless technology
- 1" / 25 mm LCD display, 35° left / right swivel
(350° with height rod fully retracted) for ease of viewing
- Functions: LB / KG Conversion, LB / KG Lock Out, BMI, Zero, Tare, Hold / Release, Auto Zero, Auto Off
- 2 wheels for ease of movement
- 100 - 240V adapter included, 6 C-cell batteries (not included)
- 2 year limited warranty

Model	Description
SS-600KL-BT	ScaleSurance 2 year extended warranty for 600KL-BT
ADPT50	Adapter included, item # for replacement or spare
PLUGSET30	Plug adapters for use outside North America
BLUETOOTHONE-P	Wireless thermal printer