

6100-1016

Drug Facts**Active ingredient (in each suppository) Purpose**

Bisacodyl USP 10 mg Stimulant Laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 15 minutes to 1 hour

Warnings■ **For rectal use only****Ask a doctor before use if you have**

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product it may cause abdominal discomfort, faintness, rectal burning and mild cramps

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children
12 years of age and over

1 suppository in a single daily dose. Peel open plastic wrapper. Insert suppository well into rectum, pointed end first. Retain about 15 to 20 minutes.

children 6
to under 12 years of age

1/2 suppository
in a single daily dose

children under 6 years of age

Do not use

Other information

- store at 20-25°C (68-77°F)
- Lot No. & Exp. Date: see wrapper or box

Inactive ingredient hydrogenated vegetable oil

Questions or Comments? (800) 616-2471

BiscolaxTM
Laxative



N 3 09045 05812 1

Distributed by:
MAJOR® PHARMACEUTICALS
17177 N Laurel Park Drive, Suite 233
Livonia, MI 48152 USA
Rev. 10/16
M -64
Re-Order No. 700216

*Major® BiscolaxTM is not manufactured or distributed by Boehringer Ingelheim Consumer Healthcare a division of Boehringer Ingelheim Pharmaceuticals, Inc., owner of the registered trademark Dulcolax®.

MAJOR®

NDC 0904-5058-12

BiscolaxTM
Laxative

Doctor Recommended Ingredient
Fast Dependable Relief

Bisacodyl, USP 10 mg.
12 SUPPOSITORIES

Compare to active ingredient of
Dulcolax® Suppositories*

BiscolaxTM
Laxative

**TAMPER-EVIDENT: DO NOT
USE IF SEALED WRAPPER
AROUND SUPPOSITORY IS
TORN OR OPEN.**

Lot:
Exp: