

NDC 0904-5894-30

 **MAJOR®**

# INFANTS' GAS RELIEF DROPS

Simethicone - Antigas  
**DYE FREE**

Relieves the Symptoms  
Referred to as Gas  
**1 FL OZ (30 mL)**

Compare to active ingredient of  
MYLICON® Infant Drops\*

**TAMPER-EVIDENT:** Do not use if foil seal under the cap is broken or missing.

## Save carton for complete Drug Facts

### Drug Facts

**Active ingredient (in each 0.3 mL)**    **Purpose**  
Simethicone 20 mg ..... Antigas

**Use** • relieves the symptoms referred to as gas

### Warnings

**Keep out of reach of children.**

In case of overdose, get medical help or contact  
a poison control center right away. ▶

\*This product is not manufactured or distributed by the owner of the  
registered trademark MYLICON®.

Distributed by **MAJOR® PHARMACEUTICALS**

17177 N Laurel Park Drive, Suite 233, Livonia, MI 48152 USA Rev 12/16 M-99

Re-Order No. 700032

326-26119-5



3

09045 89430

9



PEEL  
HERE  
↓

**Directions** • shake well before using

- all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician
- do not exceed 12 doses per day
- fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek
- dosage can also be mixed with 1 oz of cool water, infant formula or other suitable liquids
- clean dropper well after each use and recap bottle with original cap

Age (years)	Weight (lbs)	Dose
Infants (under 2)	under 24	0.3 mL
Children (2 and over)	24 and over	0.6 mL

**Other information** • do not freeze

- store at room temperature

**Questions or comments?**  
**(800) 616-2471**

**STOP PEELING**

CPN 2  
Deadener Area  
(.0625" bleeds  
Top, Bottom & Right)