



SUDOGEST™ PE

NASAL DECONGESTANT

Non-Drowsy

NDC 0904-5733-73



**Compare to the active ingredient
in Sudafed PE® Congestion*

SUDOGEST™ PE

Phenylephrine HCl, 10 mg each

NASAL DECONGESTANT



Does not contain Pseudoephedrine

- Nasal & Sinus Congestion
- Sinus Pressure

1 Pill Per Dose



36 TABLETS
10 mg each

Distributed by
MAJOR® PHARMACEUTICALS
31778 Enterprise Drive
Livonia, MI 48150 USA
Rev. 08/13 M-17
Re-order No. 100112

No print/No varnish
Lot & Exp date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT
IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

B-1212-453-07
REV0313H45307

*This product is not manufactured or distributed by McNeil
Consumer Healthcare, owner of the registered trademark
Sudafed PE® Congestion. 50844 REV0313H45307



KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION	
Drug Facts	Active ingredient (in each tablet) Phenylephrine HCl 10 mg Nasal decongestant
Uses	■ temporarily relieves sinus congestion and pressure ■ cold, hay fever or other upper respiratory allergies
Warnings	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI drug, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have	■ diabetes ■ high blood pressure ■ trouble urinating due to an enlarged prostate gland
When using this product do not exceed recommended dose.	■ nervousness, dizziness, or sleeplessness occur
Stop use and ask a doctor if	■ symptoms do not improve within 7 days or occur with fever
Questions or comments? (800) 616-2471	
Drug Facts (continued)	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions	■ adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. ■ children under 12 years: do not use this product in children under 12 years of age
Other information	■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number
Inactive ingredients	croscarmellose sodium, dextrose monohydrate, dicalcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltoedextrin, microcrystalline cellulose, silica gel, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

B9811R2