

HYDRATHERM™ & HYDRAHEAT™ Moist Heat Therapy System



Richmar[®]
Engineering Tomorrow's
Healthcare



by RICHMAR
Ηλεκτρονική™

Richmar

HydraTherm Heating Unit

HydraTherm sets the standard for modern moist heat therapy. It is made of high-grade polymer that is temperature resistant and won't rust or dent. Richmar has responded to the industry's 60 year wait for a new heating unit that could provide a safer, cleaner, and more efficient clinical environment. Today's outdated heating units and packs, which are prone to rust, microbial growth and mildew, are being scrutinized for cross-contamination concerns and hard to maintain cleaning protocols.

HydraTherm sets a new standard in the industry for heat therapy while addressing the frustrations that exist in the clinic today.

Features

- Composite Tub to Prevent the Formation of Rust
- Digital Low-Water Sensor Automatically Turns Off the Heating Element and Drainage Pump Prior to Cleaning for Safety and Longevity
- Composite Dividers for Shelf-Height Adjustment and Management of the New HydraHeat Packs
- Digital Thermostat Control Gives Therapist Easy Control Over Desired Treatment Temperature of the Water, As Well As Making Documentation and Record Maintenance Easy
- 24V Control Unit Versus 110V for Facility and Staff Energy Efficiency and Safety
- HydraTherm Deluxe Includes a Drainage Pump for Quick and Easy Water Removal From the Tank. No More Labor-Intensive Moving of the Units for Water Disposal From Gravity-Fed Hoses.
- Proudly Made in USA



Fold-Away Shelf

The optional Fold-Away Shelf is easily positioned to create an additional work area, or lowered for space utilization.



Divider System

Includes 3 clip-on shelves that can be attached to dividers in up to 4 different height levels for heat pack management and easy access to packs without needing tongs.



Rack System

Traditional rack system made of the same material as the Divider System. It sits lower in the tank so that additional packs can be stacked on top; tongs are utilized for hot pack removal.

ORDERING DETAILS

HT-R12-S	HydraTherm Standard 120V
HT-R12-S220	HydraTherm Standard 220V Without Packs, Divider System
HT-R12-SW	HydraTherm Standard 120V
HT-R12-SW220	HydraTherm Standard 220V Includes 3 Standard, 3 Universal, 3 Cervical, & 3 Oversize HydraHeat Packs, Divider System
HT-R12-SR	HydraTherm Standard 120V
HT-R12-SR220	HydraTherm Standard 220V Without Packs, Rack System
HT-R12-SRW	HydraTherm Standard 120V
HT-R12-SRW220	HydraTherm Standard 220V Includes 3 Standard, 3 Universal, 3 Cervical, & 3 Oversize HydraHeat Packs, Rack System
HT-R12-D	HydraTherm Deluxe 120V
HT-R12-D220	HydraTherm Deluxe 220V Includes Drainage Pump, Without Packs; Divider System
HT-R12-DW	HydraTherm Deluxe 120V
HT-R12-DW220	HydraTherm Deluxe 220V Includes Drainage Pump, Includes 3 Standard, 3 Universal, 3 Cervical, & 3 Oversize HydraHeat Packs, Divider System
HT-R12-DR	HydraTherm Deluxe 120V
HT-R12-DR220	HydraTherm Deluxe 220V Includes Drainage Pump, Without Packs, Rack System
HT-R12-DRW	HydraTherm Deluxe 120V
HT-R12-DRW220	HydraTherm Deluxe 220V Includes Drainage Pump, Includes 3 Standard, 3 Universal, 3 Cervical, & 3 Oversize HydraHeat Packs, Rack System

OPTIONAL ACCESSORIES

HT-R12-RCK	Rack System
HT-R12-DIV	Divider System (includes 3 clip-on shelves)
HTR121	Fold-Away Side Shelf
HT-R12-DIVS	Clip-On Shelves

TECHNICAL SPECIFICATIONS

Dimensions:	30" W x 20" D x 33" H (76 x 50 x 84 cm)
Weight:	Standard - 70 lbs (31 kg) Deluxe - 75 lbs (34 kg)
Power:	110 - 120 VAC / 220 - 240 VAC
Frequency:	50 / 60 Hz
Power Consumption:	1000 Watts
Adjustable Temp. Range:	120 °F - 160 °F (71 °C - 49 °C)
Safety thermal cut-out Temp.:	175 °F +/- 5 °F (79 °C +/- 3 °C)
Digital Temp. Control Accuracy:	+/- 5%
Water capacity:	18 Gal (68 L) (without heat packs)



HydraHeat Packs

HydraHeat Packs paired with HydraTherm heating units create a complete moist heat therapy system that provides patient comfort, cleanliness and a time-efficient clinic.

- The Polymer Skin of HydraHeat Packs Are Easily Disinfected with Antibacterial Wipes, Helping Reduce Cross Contamination Between Patients
- HydraHeat Packs Do Not Require High Temperatures to Inhibit Bacterial Growth As with Clay Packs, So Lower, Safer Temperatures Within the Therapeutic Range Can Be Used to Treat Patients, Minimizing Burn Risk
- Lower Treatment Temperatures Allow HydraHeat Packs to Be Covered with Only a Towel or Pillow Case, Not Bulky, Expensive, and Unsanitary Terry Covers
- The Sureseam Process Used to Seal Each Pack Lessens the Chance of Bursting or Leaking its Contents Into the Tank, or Onto the Patient
- The PVC Skin, in Combination with the Non-Toxic Gel Interior, Make for a Pliable Pack That Conforms to Various Treatment Areas and Allows a Greater Area of Contact for Heat Transfer
- HydraHeat Packs Maintain Heat Within the Therapeutic Range for Up to 40 Minutes, and Reheat in the Tank to Treatment Temperature Within 15 Minutes
- Not Made with Natural Rubber Latex


ORDERING DETAILS



HP-1713-OS **Oversize**
17" x 13" (43 x 33cm)



HP-1905-UN **Universal**
19" x 5" (48 x 13cm)



HP-1711-CX **Neck Contour/Cervical**
17" x 11" (43 x 28cm)



HP-1711-ST **Standard**
17" x 11" (43 x 28cm)