

SELECTION CHART



**Tamperproof Screw Cap
With washer seal
and flat top**



**With washer seal
and attachment loop**



With washer seal



**Self-standing
0.5 ml**

T335-2TP Non sterile	Cap not assembled and Non graduated	T332-2 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated	T334-2 Non sterile	Cap not assembled and Non graduated
T335-2STP Sterile	Caps are slightly screwed on and Non graduated	T332-2S Sterile	Pre-attached caps are screwed on and Non graduated	T334-2S Sterile	Caps are screwed on and Non graduated
T335-2SPRTP Sterile	Caps are slightly screwed on, white marking area and graduations	T332-2SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations	T334-2SPR Sterile	Caps are screwed on, white marking area and graduations



**Self-standing
1.5 ml**

T335-4TP Non sterile	Cap not assembled and Non graduated	T332-4 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated	T334-4 Non sterile	Cap not assembled and Non graduated
T335-4STP Sterile	Caps are slightly screwed on and Non graduated	T332-4S Sterile	Pre-attached caps are screwed on and Non graduated	T334-4S Sterile	Caps are screwed on and Non graduated
T335-4SPRTP Sterile	Caps are slightly screwed on, white marking area and graduations	T332-4SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations	T334-4SPR Sterile	Caps are screwed on, white marking area and graduations



**Conical bottom
1.5 ml**

T335-5TP Non sterile	Cap not assembled and Non graduated	T332-5 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated	T334-5 Non sterile	Cap not assembled and Non graduated
T335-5STP Sterile	Caps are slightly screwed on and Non graduated	T332-5S Sterile	Pre-attached caps are screwed on and Non graduated	T334-5S Sterile	Caps are screwed on and Non graduated
T335-5SPRTP Sterile	Caps are slightly screwed on, white marking area and graduations	T332-5SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations	T334-5SPR Sterile	Caps are screwed on, white marking area and graduations



**Self-standing
2.0 ml**

T335-6TP Non sterile	Cap not assembled and Non graduated	T332-6 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated	T334-6 Non sterile	Cap not assembled and Non graduated
T335-6STP Sterile	Caps are slightly screwed on and Non graduated	T332-6S Sterile	Pre-attached caps are screwed on and Non graduated	T334-6S Sterile	Caps are screwed on and Non graduated
T335-6SPRTP Sterile	Caps are slightly screwed on, white marking area and graduations	T332-6SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations	T334-6SPR Sterile	Caps are screwed on, white marking area and graduations



**Conical bottom
2.0 ml**

T335-7TP Non sterile	Cap not assembled and Non graduated	T332-7 Non sterile	Cap loops are pre-attached but caps are not screwed on and Non graduated	T334-7 Non sterile	Cap not assembled and Non graduated
T335-7STP Sterile	Caps are slightly screwed on and Non graduated	T332-7S Sterile	Pre-attached caps are screwed on and Non graduated	T334-7S Sterile	Caps are screwed on and Non graduated
T335-7SPRTP Sterile	Caps are slightly screwed on, white marking area and graduations	T332-7SPR Sterile	Pre-attached caps are screwed on, white marking area and graduations	T334-7SPR Sterile	Caps are screwed on, white marking area and graduations

**PACKAGING
INFORMATION**

	Qty/Pk	Qty/Cs		Qty/Pk	Qty/Cs		Qty/Pk	Qty/Cs
Non Sterile	-	1000	Non Sterile	-	1000	Non Sterile	-	1000
Sterile	50	500	Sterile	50	500	Sterile	50	500

SELECTION CHART



With washer seal and flat top



With lip seal and attachment loop



With lip seal



With lip seal and flat top

T335-2 Non sterile Caps not assembled and Non graduated

T335-2S Sterile Caps are screwed on and Non graduated

T335-2SPR Sterile Caps are screwed on, white marking area and graduations

T335-4 Non sterile Caps not assembled and Non graduated

T335-4S Sterile Caps are screwed on and Non graduated

T335-4SPR Sterile Caps are screwed on, white marking area and graduations

T335-5 Non sterile Caps not assembled and Non graduated

T335-5S Sterile Caps are screwed on and Non graduated

T335-5SPR Sterile Caps are screwed on, white marking area and graduations

T335-6 Non sterile Caps not assembled and Non graduated

T335-6S Sterile Caps are screwed on and Non graduated

T335-6SPR Sterile Caps are screwed on, white marking area and graduations

T335-7 Non sterile Caps not assembled and Non graduated

T335-7S Sterile Caps are screwed on and Non graduated

T335-7SPR Sterile Caps are screwed on, white marking area and graduations

T336-2 Non sterile Cap loops are pre-attached but caps are not screwed on and Non graduated

T336-2S Sterile Pre-attached caps are screwed on and Non graduated

T336-2SPR Sterile Pre-attached caps are screwed on, white marking area and graduations

T336-4 Non sterile Cap loops are pre-attached but caps are not screwed on and Non graduated

T336-4S Sterile Pre-attached caps are screwed on and Non graduated

T336-4SPR Sterile Pre-attached caps are screwed on, white marking area and graduations

T336-5 Non sterile Cap loops are pre-attached but caps are not screwed on and Non graduated

T336-5S Sterile Pre-attached caps are screwed on and Non graduated

T336-5SPR Sterile Pre-attached caps are screwed on, white marking area and graduations

T336-6 Non sterile Cap loops are pre-attached but caps are not screwed on and Non graduated

T336-6S Sterile Pre-attached caps are screwed on and Non graduated

T336-6SPR Sterile Pre-attached caps are screwed on, white marking area and graduations

T336-7 Non sterile Cap loops are pre-attached but caps are not screwed on and Non graduated

T336-7S Sterile Pre-attached caps are screwed on and Non graduated

T336-7SPR Sterile Pre-attached caps are screwed on, white marking area and graduations

T338-2 Non sterile Caps are not assembled and Non graduated

T338-2S Sterile Caps are screwed on and Non graduated

T338-2SPR Sterile Caps are screwed on, white marking area and graduations

T338-4 Non sterile Caps are not assembled and Non graduated

T338-4S Sterile Caps are screwed on and Non graduated

T338-4SPR Sterile Caps are screwed on, white marking area and graduations

T338-5 Non sterile Caps are not assembled and Non graduated

T338-5S Sterile Caps are screwed on and Non graduated

T338-5SPR Sterile Caps are screwed on, white marking area and graduations

T338-6 Non sterile Caps are not assembled and Non graduated

T338-6S Sterile Caps are screwed on and Non graduated

T338-6SPR Sterile Caps are screwed on, white marking area and graduations

T338-7 Non sterile Caps are not assembled and Non graduated

T338-7S Sterile Caps are screwed on and Non graduated

T338-7SPR Sterile Caps are screwed on, white marking area and graduations

T339-2 Non sterile Caps not assembled and Non graduated

T339-2S Sterile Caps are screwed on and Non graduated

T339-2SPR Sterile Caps are screwed on, white marking area and graduations

T339-4 Non sterile Caps not assembled and Non graduated

T339-4S Sterile Caps are screwed on and Non graduated

T339-4SPR Sterile Caps are screwed on, white marking area and graduations

T339-5 Non sterile Caps not assembled and Non graduated

T339-5S Sterile Caps are screwed on and Non graduated

T339-5SPR Sterile Caps are screwed on, white marking area and graduations

T339-6 Non sterile Caps not assembled and Non graduated

T339-6S Sterile Caps are screwed on and Non graduated

T339-6SPR Sterile Caps are screwed on, white marking area and graduations

T339-7 Non sterile Caps not assembled and Non graduated

T339-7S Sterile Caps are screwed on and Non graduated

T339-7SPR Sterile Caps are screwed on, white marking area and graduations

	Qty/Pk	Qty/Cs
Non Sterile	-	1000
Sterile	50	500

	Qty/Pk	Qty/Cs
Non Sterile	-	1000
Sterile	50	500

	Qty/Pk	Qty/Cs
Non Sterile	-	1000
Sterile	50	500

	Qty/Pk	Qty/Cs
Non-Sterile	-	1000
Sterile	50	500