



1060 Holland Dr., Suite A
Boca Raton, FL 33487
Nationwide: (877) 722-6339
Local: (561) 288-9028
Fax: (561) 288-3929
<http://www.claritydiagnostics.com>

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Urocheck 120 Urine Analyzer

Synonyms: DTG-UAM

CAS Number: N/A

Manufacturer: Clarity Diagnostics, LLC

Address: 1060 Holland Dr. Suite A Boca Raton, FL 33487

Contact: 1(877) 722-6339

Recommended use: Along with a urine test strip, the Clarity urine analyzer (CLIA Waived) is intended to read Clarity urinalysis reagent strips.

Section 2: Hazard(s) Identification

GHS Classification:

| Health | Environmental | Physical |
|--------|---------------|----------|
| N/A | N/A | N/A |

GHS Label:

| Symbols | |
|-------------------|---------------------------|
| Hazard Statements | Precautionary Statements |
| Non Flammable | Store at room temperature |

Section 3: Composition/Information on Ingredients

| Component | CAS Number | Weight |
|-----------|------------|--------|
| N/A | N/A | N/A |

See Section 8 For Exposure Limits

Section 4: First-Aid Measures

Skin: None.

Eye: None

Inhalation: None

Ingestion: None

Medical Information: None

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: None

Fire Fighting Procedures: Use CO₂, Foam, or Water.

Unusual Fire and Explosion Hazards: None Known

Combustion Products: None known

Section 6: Accidental Release Measures

Accidental release measures: There is no current leakage potential under normal use.

Section 7: Handling and Storage

Handling: Handle as directed in the package insert.

Storage: Keep in a cool place (20°C-25.6°F). Do not expose to direct light.

Section 8: Exposure Controls/Personal Protection

Exposure Limits: None.

Engineering Controls: None.

Personal Protective Equipment (PPE): None.

Ventilation: Normal

Section 9: Physical and Chemical Properties

Flashpoint: N.A

Auto ignition Temperature:N.A.

Boiling Point: N.A

Melting Point:<0.1

Vapor Pressure:<0.1

Vapor Density (Air=1):

% Solubility in Water: N.A.

Pour Point: Not Available

Molecular Formula:N.A.

Odor/Appearance:None Known

Lower Flammability Limit: N.A

Upper Flammability Limit: N.A

Specific Gravity: = N.A. (Water=1)

% Volatile: N.A.

Evaporation Rate (Water=1): N.A.

Viscosity:Not Available.

Octanol/Water Partition Coefficient: Not Available

pH: Not Available

Molecular Weight: N/A

Section 10: Stability and Reactivity

Stability and reactivity: This product is stable up to the expiration date printed on the label if kept at 35.6-46.4°F (2-8°C) Non- reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects: None

Eye Contact: N/A.

Skin Contact: N/A.

Inhalation: N/A

Ingestion: N/A.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Information* (non-mandatory)

- No ecological information available

Section 13: Disposal Considerations* (non-mandatory)

| | |
|---------------------------------------|--|
| Appropriate Methods of Disposal | Disposal should be made in accordance with existing disposal practices. Observe all Federal, State and Local law requirements. |
| European Community (EC) Consideration | Use appropriate waste codes based on ingredients. |

Section 14: Transport Information* (non-mandatory)

| | |
|------------------------|---|
| Transport Precautions | Consult applicable regulation when transporting this product |
| Additional Information | Follow the instructed guidelines listed in package for proper transportation. |

Section 15: Regulatory Information* (non-mandatory)

| | |
|--|---|
| European Labeling in accordance with EC Directives | |
| Hazard Symbols | N.A |
| Safety Phrases | Keep out of the reach of children |
| Risk Phrases | None |
| Additional Information | Consult country codes for specific requirements |

Section 16: Other Information

Other Precautions: No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be held liable for any damage resulting from handling or use.

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).